

LEE DIPPER CAPACITY CHART

DIPPER

POWDER	0.17	0.3	0.5	0.7	1.0	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3
BLACK FFFG	2.7	4.8	8.0	11.1	15.9	20.7	25.5	30.3	35.0	39.8	44.6	49.4	54.2	58.9	63.7	68.5
BLACK FFG	2.5	4.4	7.4	10.3	14.7	19.1	23.5	27.9	32.4	36.8	41.2	45.6	50.0	54.4	58.8	63.2
BLACK FG	2.4	4.2	7.0	9.7	13.9	18.1	22.3	26.4	30.6	34.8	39.0	43.1	47.3	51.5	55.7	59.8
BLACKFFFFG	2.5	4.5	7.4	10.4	14.9	19.4	23.8	28.3	32.8	37.2	41.7	46.2	50.6	55.1	59.6	64.0
ANITRO100	1.3	2.2	3.7	5.2	7.4	9.6	11.9	14.1	16.3	18.5	20.8	23.0	25.2	27.4	29.7	31.9
ACC MAG PRO	2.6	4.5	7.5	10.6	15.1	19.6	24.1	28.6	33.2	37.7	42.2	46.7	51.3	55.8	60.3	64.8
ACCUR #2	2.0	3.6	6.0	8.4	11.9	15.5	19.1	22.7	26.2	29.8	33.4	37.0	40.6	44.1	47.7	51.3
ACCUR #5	2.7	4.8	8.0	11.2	16.1	20.9	25.7	30.5	35.3	40.1	45.0	49.8	54.6	59.4	64.2	69.0
ACCUR #7	2.6	4.6	7.7	10.7	15.3	19.9	24.5	29.1	33.7	38.3	42.9	47.5	52.1	56.7	61.2	65.8
ACCUR #9	2.6	4.6	7.6	10.7	15.2	19.8	24.4	28.9	33.5	38.1	42.6	47.2	51.8	56.4	60.9	65.5
ACCUR 1680	2.6	4.6	7.6	10.7	15.3	19.8	24.4	29.0	33.6	38.2	42.7	47.3	51.9	56.5	61.0	65.6
ACCUR 2015	2.3	4.1	6.8	9.6	13.7	17.8	21.9	26.0	30.1	34.2	38.3	42.5	46.6	50.7	54.8	58.9
ACCUR 2200	2.5	4.3	7.2	10.1	14.4	18.7	23.1	27.4	31.7	36.0	40.4	44.7	49.0	53.3	57.7	62.0
ACCUR 2230	2.6	4.6	7.6	10.7	15.2	19.8	24.4	28.9	33.5	38.1	42.6	47.2	51.8	56.3	60.9	65.5
ACCUR 2460	2.6	4.6	7.6	10.7	15.2	19.8	24.4	28.9	33.5	38.1	42.7	47.2	51.8	56.4	60.9	65.5
ACCUR 2495	2.3	4.0	6.7	9.4	13.4	17.4	21.4	25.4	29.4	33.4	37.4	41.4	45.4	49.4	53.5	57.5
ACCUR 2520	2.5	4.4	7.3	10.3	14.6	19.0	23.4	27.8	32.2	36.6	41.0	45.4	49.8	54.2	58.6	63.0
ACCUR 2700	2.5	4.4	7.3	10.2	14.6	19.0	23.4	27.7	32.1	36.5	40.9	45.3	49.7	54.0	58.4	62.8
ACCUR 3100	2.3	4.0	6.7	9.4	13.4	17.4	21.4	25.4	29.4	33.4	37.4	41.4	45.4	49.4	53.5	57.5
ACCUR 4064	2.3	4.0	6.6	9.3	13.3	17.2	21.2	25.2	29.2	33.1	37.1	41.1	45.1	49.0	53.0	57.0
ACCUR 4100	2.5	4.4	7.3	10.2	14.5	18.9	23.2	27.6	31.9	36.3	40.6	45.0	49.3	53.7	58.0	62.4
ACCUR 4350	2.3	4.1	6.8	9.5	13.5	17.6	21.6	25.7	29.7	33.8	37.8	41.9	46.0	50.0	54.1	58.1
ACCUR 4744	2.3	4.0	6.7	9.3	13.3	17.3	21.3	25.3	29.3	33.3	37.3	41.3	45.2	49.2	53.2	57.2
ACCUR 8700	2.5	4.4	7.3	10.2	14.5	18.9	23.3	27.6	32.0	36.4	40.7	45.1	49.4	53.8	58.2	62.5
LT-30	2.3	4.0	6.7	9.3	13.3	17.3	21.3	25.3	29.3	33.3	37.3	41.3	45.3	49.3	53.3	57.3
LT-32	2.2	3.9	6.5	9.1	13.0	16.9	20.8	24.7	28.6	32.4	36.3	40.2	44.1	48.0	51.9	55.8
ROYAL SCOT	1.1	1.9	3.2	4.4	6.3	8.2	10.1	12.0	13.9	15.8	17.6	19.5	21.4	23.3	25.2	27.1
SOLO 1000	1.3	2.3	3.8	5.3	7.5	9.8	12.0	14.3	16.5	18.8	21.0	23.3	25.6	27.8	30.1	32.3
SOLO 1500	1.5	2.7	4.6	6.4	9.1	11.8	14.6	17.3	20.0	22.8	25.5	28.2	30.9	33.7	36.4	39.1
ALLIANT STEEL	1.6	2.8	4.7	6.6	9.4	12.2	15.1	17.9	20.7	23.5	26.3	29.2	32.0	34.8	37.6	40.5
ALNT 300 MP	2.5	4.5	7.5	10.5	15.0	19.5	24.0	28.5	33.0	37.5	42.0	46.5	51.0	55.5	60.0	64.5
ALNT 4000 MR	2.4	4.2	6.9	9.7	13.9	18.0	22.2	26.3	30.5	34.6	38.8	43.0	47.1	51.3	55.4	59.6
ALNT 410	2.1	3.7	6.2	8.7	12.4	16.2	19.9	23.6	27.4	31.1	34.8	38.6	42.3	46.0	49.8	53.5
ALNT AR-COMP	2.3	4.0	6.6	9.3	13.3	17.3	21.3	25.2	29.2	33.2	37.2	41.2	45.2	49.2	53.1	57.1
ALNT E3	1.1	2.0	3.4	4.7	6.7	8.7	10.7	12.8	14.8	16.8	18.8	20.8	22.8	24.8	26.9	28.9
ALNT VARMIN'T	2.6	4.6	7.7	10.7	15.4	20.0	24.6	29.2	33.8	38.4	43.0	47.6	52.2	56.8	61.4	66.0
AMER-SELECT	1.3	2.2	3.7	5.2	7.5	9.7	11.9	14.2	16.4	18.6	20.9	23.1	25.3	27.6	29.8	32.1
BLUE DOT	2.0	3.5	5.8	8.1	11.6	15.0	18.5	22.0	25.4	28.9	32.4	35.8	39.3	42.8	46.3	49.7
BULLSEYE	1.6	2.8	4.7	6.6	9.4	12.2	15.0	17.9	20.7	23.5	26.3	29.1	32.0	34.8	37.6	40.4
GREEN DOT	1.3	2.4	4.0	5.5	7.9	10.3	12.7	15.0	17.4	19.8	22.2	24.6	26.9	29.3	31.7	34.1
HERC 2400	2.3	4.0	6.7	9.4	13.5	17.5	21.6	25.6	29.7	33.7	37.8	41.8	45.9	49.9	53.9	58.0
HERCO	1.5	2.7	4.5	6.2	8.9	11.6	14.3	16.9	19.6	22.3	24.9	27.6	30.3	33.0	35.6	38.3
POWER PISTOL	1.9	3.4	5.6	7.9	11.2	14.6	18.0	21.4	24.7	28.1	31.5	34.9	38.2	41.6	45.0	48.4
RED DOT	1.2	2.1	3.5	5.0	7.1	9.2	11.3	13.5	15.6	17.7	19.8	21.9	24.1	26.2	28.3	30.4
RELODER 10	2.3	4.0	6.7	9.4	13.4	17.4	21.5	25.5	29.5	33.5	37.6	41.6	45.6	49.6	53.7	57.7
RELODER 17	2.4	4.3	7.2	10.1	14.4	18.7	23.0	27.3	31.6	35.9	40.2	44.5	48.8	53.1	57.4	61.7
RELODER 25	2.4	4.2	7.1	9.9	14.2	18.4	22.6	26.9	31.1	35.4	39.6	43.9	48.1	52.4	56.6	60.9
RELODER 7	2.3	4.1	6.9	9.6	13.7	17.8	22.0	26.1	30.2	34.3	38.4	42.6	46.7	50.8	54.9	59.0
RELODER12	2.5	4.3	7.2	10.1	14.5	18.8	23.1	27.5	31.8	36.2	40.5	44.8	49.2	53.5	57.8	62.2
RELODER15	2.4	4.2	7.1	9.9	14.2	18.4	22.7	26.9	31.1	35.4	39.6	43.9	48.1	52.4	56.6	60.9
RELODER19	2.4	4.2	7.1	9.9	14.2	18.4	22.7	26.9	31.1	35.4	39.6	43.9	48.1	52.4	56.6	60.9
RELODER22	2.4	4.3	7.2	10.0	14.3	18.6	22.9	27.2	31.6	35.9	40.2	44.5	48.8	53.1	57.4	61.7
UNIQUE	1.6	2.7	4.6	6.4	9.2	11.9	14.6	17.4	20.1	22.9	25.6	28.4	31.1	33.9	36.6	39.4
BENCHMARK	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.0	39.2	43.4	47.6	51.8	56.0	60.2
BL-C(2)	2.6	4.7	7.8	10.8	15.5	20.1	24.8	29.4	34.1	38.8	43.4	48.0	52.7	57.4	62.0	66.7
CFE 223	2.6	4.6	7.7	10.8	15.5	20.1	24.8	29.4	34.0	38.7	43.3	48.0	52.6	57.3	61.9	66.5
CFE PISTOL	2.3	4.0	6.6	9.3	13.3	17.2	21.2	25.2	29.2	33.2	37.1	41.1	45.1	49.1	53.1	57.0
CLAYS	1.2	2.1	3.4	4.8	6.8	8.9	10.9	13.0	15.0	17.1	19.2	21.2	23.3	25.3	27.4	29.4
H 50 BMG	2.4	4.3	7.2	10.1	14.4	18.7	23.0	27.4	31.7	36.0	40.3	44.6	49.0	53.3	57.6	61.9
H LIL GUN	2.5	4.4	7.4	10.3	14.8	19.2	23.6	28.0	32.5	36.9	41.3	45.7	50.2	54.6	59.0	63.4
H RETUMBO	2.4	4.2	6.9	9.7	13.9	18.0	22.2	26.3	30.5	34.7	38.8	43.0	47.1	51.3	55.5	59.6
H-LVR	2.6	4.6	7.7	10.7	15.3	19.9	24.5	29.1	33.7	38.3	42.9	47.4	52.0	56.6	61.2	65.8
H-PYRDX RS	2.1	3.7	6.2	8.6	12.3	16.0	19.7	23.4	27.1	30.8	34.5	38.2	41.9	45.6	49.3	53.0
H-PYROX P	2.1	3.6	6.1	8.5	12.1	15.8	19.4	23.1	26.7	30.4	34.0	37.6	41.3	44.9	48.6	52.2
H-SUPFORM	2.6	4.6	7.6	10.6	15.2	19.7	24.3	28.9	33.4	38.0	42.5	47.1	51.6	56.2	60.8	65.3
H-VARGET	2.3	4.1	6.8	9.6	13.7	17.8	21.9	26.0	30.1	34.2	38.3	42.4	46.5	50.6	54.7	58.8
H1000	2.4	4.2	7.0	9.8	14.0	18.2	22.5	26.7	30.9	35.1	39.3	43.5	47.7	51.9	56.1	60.4
H110	2.6	4.6	7.6	10.7	15.3	19.8	24.4	29.0	33.6	38.1	42.7	47.3	51.9	56.4	61.0	65.6
H322	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.8	46.9	51.0	55.2	59.3
H335	2.6	4.7	7.8	10.8	15.5	20.1	24.8	29.4	34.1	38.8	43.4	48.0	52.7	57.4	62.0	66.7
H380	2.5	4.3	7.2	10.1	14.5	18.8	23.1	27.5	31.8	36.2	40.5	44.8	49.2	53.5	57.9	62.2
H414	2.6	4.5	7.6	10.6	15.1	19.7	24.2	28.8	33.3	37.8	42.4	46.9	51.5	56.0	60.5	65.1
H4198	2.3	4.0	6.7	9.3	13.3	17.3	21.3	25.3	29.3	33.3	37.3	41.3	45.3	49.3	53.3	57.3

LEE DIPPER CAPACITY CHART

LEE DIPPER CAPACITY CHART

POWDER	0.17	0.3	0.5	0.7	1.0	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3
H4227	2.2	3.9	6.5	9.1	13.0	16.9	20.8	24.7	28.6	32.5	36.4	40.3	44.2	48.1	52.0	55.9
H4350	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.8	46.9	51.0	55.2	59.3
H450	2.6	4.6	7.7	10.7	15.3	19.9	24.5	29.1	33.7	38.3	42.9	47.5	52.1	56.7	61.3	65.9
H4831	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.8	46.9	51.0	55.2	59.3
H4895	2.3	4.1	6.9	9.6	13.7	17.8	22.0	26.1	30.2	34.3	38.4	42.6	46.7	50.8	54.9	59.0
H870	2.5	4.4	7.3	10.2	14.6	19.0	23.3	27.7	32.1	36.5	40.8	45.2	49.6	54.0	58.3	62.7
HO US869	2.6	4.6	7.7	10.8	15.4	20.0	24.6	29.2	33.8	38.4	43.0	47.6	52.2	56.8	61.4	66.0
HP38	1.8	3.2	5.4	7.6	10.8	14.0	17.3	20.5	23.8	27.0	30.2	33.5	36.7	40.0	43.2	46.4
HS6	2.4	4.2	7.0	9.8	14.0	18.2	22.5	26.7	30.9	35.1	39.3	43.5	47.7	51.9	56.1	60.4
HS7	2.5	4.4	7.4	10.3	14.7	19.1	23.5	27.9	32.4	36.8	41.2	45.6	50.0	54.4	58.8	63.2
HYBRID100	2.3	4.1	6.9	9.6	13.8	17.9	22.0	26.2	30.3	34.4	38.6	42.7	46.8	50.9	55.1	59.2
INTERNATIONAL	1.3	2.4	4.0	5.5	7.9	10.3	12.6	15.0	17.4	19.8	22.1	24.5	26.9	29.2	31.6	34.0
LONGSHOT	2.1	3.6	6.1	8.5	12.1	15.8	19.4	23.0	26.7	30.3	34.0	37.6	41.2	44.9	48.5	52.2
PYRODEX CTG	1.7	3.0	4.9	6.9	9.9	12.8	15.8	18.7	21.7	24.6	27.6	30.6	33.5	36.5	39.4	42.4
TITTEGROUP	2.0	3.5	5.9	8.3	11.8	15.3	18.9	22.4	26.0	29.5	33.0	36.6	40.1	43.7	47.2	50.7
TITTEWAD	1.3	2.3	3.8	5.4	7.7	10.0	12.3	14.6	16.9	19.2	21.5	23.8	26.1	28.5	30.8	33.1
UNIVERSAL	1.5	2.7	4.6	6.4	9.1	11.8	14.6	17.3	20.0	22.8	25.5	28.2	30.9	33.7	36.4	39.1
IMR 4007 SSC	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.8	46.9	51.0	55.2	59.3
IMR 4166	2.3	4.0	6.7	9.4	13.5	17.5	21.6	25.6	29.7	33.7	37.8	41.8	45.9	49.9	54.0	58.0
IMR 4451	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.1	39.3	43.5	47.7	51.9	56.1	60.3
IMR 4955	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.4	34.5	38.7	42.8	46.9	51.1	55.2	59.4
IMR 700X	1.3	2.2	3.7	5.2	7.4	9.7	11.9	14.1	16.4	18.6	20.8	23.1	25.3	27.5	29.8	32.0
IMR 7977	2.4	4.2	7.1	9.9	14.1	18.4	22.6	26.9	31.1	35.4	39.6	43.8	48.1	52.3	56.6	60.8
IMR 800X	1.6	2.8	4.7	6.5	9.3	12.1	14.9	17.7	20.5	23.3	26.1	28.9	31.7	34.5	37.3	40.1
IMR 8208 XBR	2.4	4.2	7.0	9.9	14.1	18.3	22.5	26.7	31.0	35.2	39.4	43.6	47.9	52.1	56.3	60.5
IMR PB	1.4	2.5	4.1	5.8	8.3	10.8	13.3	15.8	18.3	20.7	23.2	25.7	28.2	30.7	33.2	35.7
IMR TRAIL BOSS	0.8	1.4	2.3	3.2	4.6	6.0	7.4	8.7	10.1	11.5	12.9	14.3	15.7	17.0	18.4	19.8
IMR3031	2.2	3.9	6.6	9.2	13.1	17.1	21.0	24.9	28.9	32.8	36.7	40.6	44.6	48.5	52.5	56.4
IMR4064	2.3	4.0	6.7	9.4	13.4	17.5	21.5	25.5	29.5	33.6	37.6	41.6	45.6	49.7	53.7	57.7
IMR4198	2.1	3.8	6.3	8.8	12.6	16.4	20.2	24.0	27.8	31.6	35.4	39.2	42.9	46.7	50.5	54.3
IMR4227	2.2	3.9	6.5	9.1	13.0	16.9	20.8	24.7	28.6	32.5	36.4	40.3	44.2	48.1	52.0	55.9
IMR4320	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.7	34.9	39.1	43.3	47.5	51.7	55.9	60.1
IMR4350	2.3	4.1	6.8	9.5	13.6	17.7	21.8	25.9	29.9	34.0	38.1	42.2	46.3	50.3	54.4	58.5
IMR4831	2.3	4.1	6.8	9.5	13.6	17.7	21.8	25.9	29.9	34.0	38.1	42.2	46.3	50.3	54.4	58.5
IMR4895	2.3	4.1	6.9	9.6	13.7	17.8	22.0	26.1	30.2	34.3	38.4	42.6	46.7	50.8	54.9	59.0
IMR7828	2.3	4.1	6.9	9.7	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.7	46.9	51.0	55.2	59.3
SR4756	1.5	2.7	4.5	6.4	9.1	11.8	14.5	17.3	20.0	22.7	25.5	28.2	30.9	33.6	36.4	39.1
SR4759	1.7	3.0	5.0	7.0	10.1	13.1	16.1	19.1	22.2	25.2	28.2	31.2	34.2	37.3	40.3	43.3
SR7625	1.6	2.9	4.8	6.7	9.6	12.4	15.3	18.2	21.0	23.9	26.8	29.6	32.5	35.4	38.2	41.1
AR2205	2.3	4.0	6.7	9.4	13.5	17.5	21.6	25.6	29.7	33.7	37.8	41.8	45.9	49.9	54.0	58.0
AR2206	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.0	39.2	43.4	47.6	51.8	56.0	60.2
AR2207	2.2	4.0	6.6	9.2	13.2	17.1	21.1	25.0	29.0	33.0	36.9	40.9	44.8	48.8	52.7	56.7
AR2208	2.3	4.1	6.9	9.6	13.8	17.9	22.1	26.2	30.3	34.5	38.6	42.7	46.9	51.0	55.1	59.3
AR2209	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.0	39.2	43.5	47.7	51.9	56.1	60.3
AR2213	2.5	4.4	7.3	10.2	14.6	18.9	23.3	27.7	32.1	36.4	40.8	45.2	49.5	53.9	58.3	62.7
AS50	1.4	2.5	4.1	5.8	8.3	10.8	13.2	15.7	18.2	20.7	23.2	25.7	28.2	30.6	33.1	35.6
BLACKHORN 209	1.7	3.0	5.0	7.0	9.9	12.9	15.9	18.9	21.9	24.8	27.8	30.8	33.8	36.8	39.7	42.7
R COMPETITION	1.3	2.3	3.9	5.5	7.8	10.2	12.5	14.9	17.2	19.6	21.9	24.3	26.6	28.9	31.3	33.6
RENFORCER	2.5	4.3	7.2	10.1	14.4	18.8	23.1	27.4	31.7	36.1	40.4	44.7	49.0	53.4	57.7	62.0
R HUNTER	2.5	4.5	7.5	10.5	15.0	19.5	24.0	28.5	33.0	37.5	42.0	46.5	51.0	55.5	60.0	64.5
R SILHOUETTE	2.1	3.8	6.3	8.8	12.6	16.3	20.1	23.9	27.6	31.4	35.2	38.9	42.7	46.5	50.2	54.0
R TRUE BLUE	2.5	4.4	7.3	10.2	14.6	19.0	23.4	27.8	32.2	36.6	41.0	45.3	49.7	54.1	58.5	62.9
RAM BIG GAME	2.4	4.2	7.1	9.9	14.1	18.4	22.6	26.8	31.1	35.3	39.5	43.8	48.0	52.3	56.5	60.7
RAM MAGNUM	2.6	4.5	7.6	10.6	15.1	19.7	24.2	28.7	33.3	37.8	42.3	46.9	51.4	56.0	60.5	65.0
RAM TAC	2.5	4.5	7.4	10.4	14.9	19.4	23.8	28.3	32.8	37.3	41.7	46.2	50.7	55.1	59.6	64.1
RAM ZIP	2.1	3.7	6.1	8.6	12.3	15.9	19.6	23.3	27.0	30.6	34.3	38.0	41.7	45.3	49.0	52.7
X-TERMINATOR	2.5	4.4	7.3	10.3	14.7	19.1	23.5	27.9	32.3	36.7	41.1	45.5	49.9	54.3	58.7	63.1
MP200	1.9	3.4	5.6	7.8	11.2	14.6	17.9	21.3	24.7	28.0	31.4	34.7	38.1	41.5	44.8	48.2
MS200	1.6	2.8	4.7	6.6	9.4	12.2	15.1	17.9	20.7	23.6	26.4	29.2	32.0	34.9	37.7	40.5
VEC AO	1.4	2.5	4.2	5.9	8.4	10.9	13.4	15.9	18.4	20.9	23.4	25.9	28.4	30.9	33.5	36.0
VEC BA10	1.3	2.2	3.7	5.2	7.4	9.6	11.9	14.1	16.3	18.5	20.7	23.0	25.2	27.4	29.6	31.9
VEC BA9	1.9	3.3	5.4	7.6	10.9	14.2	17.4	20.7	23.9	27.2	30.5	33.7	37.0	40.3	43.5	46.8
VEC SP10	2.5	4.5	7.5	10.5	15.0	19.5	24.0	28.5	32.9	37.4	41.9	46.4	50.9	55.4	59.9	64.4
VEC SP3	2.5	4.4	7.3	10.3	14.7	19.1	23.5	27.9	32.3	36.7	41.0	45.4	49.8	54.2	58.6	63.0
VEC SP7	2.6	4.6	7.6	10.6	15.2	19.8	24.3	28.9	33.4	38.0	42.6	47.1	51.7	56.2	60.8	65.4
VEC SP8	2.5	4.4	7.3	10.3	14.7	19.1	23.5	27.9	32.3	36.7	41.0	45.4	49.8	54.2	58.6	63.0
VEC SP9	2.5	4.4	7.3	10.3	14.7	19.1	23.5	27.9	32.3	36.7	41.0	45.4	49.8	54.2	58.6	63.0
VEC TU2000	2.2	3.9	6.6	9.2	13.1	17.1	21.0	24.9	28.9	32.8	36.7	40.7	44.6	48.5	52.5	56.4
VEC TU5000	2.4	4.2	6.9	9.7	13.9	18.1	22.2	26.4	30.6	34.7	38.9	43.1	47.2	51.4	55.6	59.7
VEC TU7000	2.4	4.3	7.1	9.9	14.2	18.5	22.7	27.0	31.2	35.5	39.8	44.0	48.3	52.5	56.8	61.0
VEC TU8000	2.4	4.3	7.1	9.9	14.2	18.5	22.7	27.0	31.2	35.5	39.8	44.0	48.3	52.5	56.8	61.0
V-N530	2.4	4.3	7.1	9.9	14.2	18.4	22.7	26.9	31.2	35.5	39.7	44.0	48.2	52.5	56.7	61.0
v-3N37	1.9	3.3	5.5	7.7	11.0	14.2	17.5	20.8	24.1	27.4	30.7	34.0	37.2	40.5	43.8	47.1

POWDER	0.17	0.3	0.5	0.7	1.0	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3
v-N105	1.9	3.3	5.6	7.8	11.1	14.4	17.8	21.1	24.4	27.8	31.1	34.4	37.8	41.1	44.4	47.8
v-N110	2.0	3.6	6.0	8.4	12.0	15.6	19.2	22.8	26.4	30.0	33.6	37.2	40.8	44.4	48.0	51.6
v-N120	2.2	3.9	6.4	9.0	12.9	16.8	20.6	24.5	28.4	32.2	36.1	40.0	43.8	47.7	51.6	55.4
v-N130	2.3	4.0	6.6	9.3	13.3	17.3	21.2	25.2	29.2	33.2	37.2	41.1	45.1	49.1	53.1	57.1
v-N133	2.2	3.9	6.5	9.1	13.0	16.9	20.8	24.7	28.6	32.5	36.4	40.3	44.2	48.1	52.0	55.9
v-N135	2.2	3.9	6.4	9.0	12.9	16.7	20.6	24.5	28.3	32.2	36.0	39.9	43.8	47.6	51.5	55.3
v-N140	2.3	4.1	6.8	9.6	13.6	17.7	21.8	25.9	30.0	34.1	38.2	42.3	46.4	50.5	54.6	58.7
v-N150	2.3	4.0	6.7	9.4	13.4	17.4	21.5	25.5	29.5	33.5	37.5	41.6	45.6	49.6	53.6	57.7
v-N160	2.3	4.1	6.8	9.5	13.6	17.7	21.8	25.9	30.0	34.0	38.1	42.2	46.3	50.4	54.5	58.6
v-N165	2.4	4.2	7.0	9.8	14.0	18.3	22.5	26.7	30.9	35.1	39.3	43.5	47.7	52.0	56.2	60.4
v-N170	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.1	39.3	43.5	47.7	51.9	56.1	60.3
v-N310	1.4	2.5	4.1	5.8	8.2	10.7	13.2	15.6	18.1	20.6	23.1	25.5	28.0	30.5	32.9	35.4
v-N320	1.4	2.5	4.1	5.8	8.3	10.7	13.2	15.7	18.2	20.7	23.1	25.6	28.1	30.6	33.0	35.5
v-N330	1.6	2.8	4.6	6.5	9.3	12.0	14.8	17.6	20.4	23.2	26.0	28.7	31.5	34.3	37.1	39.9
v-N340	1.6	2.8	4.7	6.6	9.4	12.2	15.0	17.8	20.6	23.5	26.3	29.1	31.9	34.7	37.5	40.4
v-N350	1.7	3.1	5.1	7.2	10.2	13.3	16.4	19.5	22.5	25.6	28.7	31.7	34.8	37.9	41.0	44.0
v-N540	2.4	4.3	7.1	10.0	14.3	18.5	22.8	27.1	31.4	35.7	39.9	44.2	48.5	52.8	57.0	61.3
v-N550	2.5	4.3	7.2	10.1	14.4	18.8	23.1	27.4	31.8	36.1	40.4	44.8	49.1	53.4	57.8	62.1
v-N560	2.5	4.3	7.2	10.1	14.5	18.8	23.2	27.5	31.9	36.2	40.6	44.9	49.3	53.6	58.0	62.3
NORMA 200	2.3	4.1	6.8	9.5	13.5	17.6	21.7	25.7	29.8	33.9	37.9	42.0	46.1	50.1	54.2	58.3
NORMA 201	2.3	4.1	6.9	9.6	13.7	17.9	22.0	26.1	30.2	34.3	38.5	42.6	46.7	50.8	54.9	59.0
NORMA 202	2.3	4.0	6.7	9.4	13.4	17.4	21.4	25.4	29.5	33.5	37.5	41.5	45.5	49.5	53.6	57.6
NORMA 203B	2.4	4.2	6.9	9.7	13.9	18.0	22.2	26.3	30.5	34.6	38.8	43.0	47.1	51.3	55.4	59.6
NORMA 204	2.4	4.3	7.1	9.9	14.2	18.4	22.7	26.9	31.2	35.4	39.7	43.9	48.2	52.4	56.7	60.9
NORMA 217	2.4	4.2	7.0	9.8	14.0	18.2	22.4	26.6	30.8	35.0	39.2	43.4	47.6	51.8	56.0	60.2
NORMA MRP	2.4	4.2	7.1	9.9	14.1	18.4	22.6	26.9	31.1	35.4	39.6	43.9	48.1	52.4	56.6	60.8
NORMA URP	2.4	4.2	7.0	9.8	13.9	18.1	22.3	26.5	30.7	34.8	39.0	43.2	47.4	51.6	55.8	59.9
AUTOCOMP	2.2	3.8	6.4	8.9	12.7	16.5	20.3	24.1	28.0	31.8	35.6	39.4	43.2	47.0	50.8	54.6
SUPRM780	2.5	4.4	7.3	10.2	14.6	19.0	23.4	27.8	32.1	36.5	40.9	45.3	49.7	54.1	58.5	62.8
WIN 231	1.8	3.2	5.4	7.5	10.7	14.0	17.2	20.4	23.6	26.8	30.1	33.3	36.5	39.7	43.0	46.2
WIN 296	2.6	4.6	7.6	10.7	15.3	19.8	24.4	29.0	33.6	38.1	42.7	47.3	51.9	56.4	61.0	65.6
WIN 748	2.6	4.6	7.6	10.7	15.3	19.8	24.4	29.0	33.6	38.1	42.7	47.3	51.9	56.4	61.0	65.6
WIN 760	2.6	4.5	7.5	10.5	15.0	19.5	24.0	28.5	33.0	37.5	42.0	46.5	51.0	55.5	60.0	64.6
WIN AA PLUS	1.3	2.3	3.9	5.4	7.7	10.0	12.3	14.7	17.0	19.3	21.6	23.9	26.2	28.5	30.9	33.2
WIN ACTION PI	2.1	3.7	6.2	8.6	12.4	16.1	19.8	23.5	27.2	30.9	34.6	38.3	42.0	45.7	49.4	53.1
WIN MAG RIFLE	2.4	4.2	7.0	9.7	13.9	18.1	22.3	26.5	30.6	34.8	39.0	43.2	47.3	51.5	55.7	59.9
WIN SUPER HANDI	2.0	3.5	5.8	8.1	11.6	15.1	18.6	22.1	25.6	29.1	32.6	36.1	39.6	43.1	46.6	50.1
wSUPER-FLD	2.0	3.6	5.9	8.3	11.9	15.5	19.0	22.6	26.2	29.8	33.3	36.9	40.5	44.0	47.6	51.2
wSUPER-LIT	2.0	3.5	5.9	8.3	11.8	15.3	18.9	22.4	26.0	29.5	33.0	36.6	40.1	43.7	47.2	50.7
wSUPER-TAR	1.4	2.5	4.2	5.8	8.3	10.8	13.3	15.8	18.3	20.8	23.2	25.7	28.2	30.7	33.2	35.7